

# Executive Summary Report

## Introduction

This report summarizes the primary health findings for those individuals who completed the Personal Wellness Profile (PWP) health assessment. Group health needs and risks are presented along with recommendations for initiating risk reduction and health enhancement programs. This information is very helpful in planning a comprehensive health enhancement program for the participant population.

Improved control of behavioral risk factors, such as:

- ◆ use of tobacco
- ◆ alcohol
- ◆ drugs
- ◆ lack of exercise
- ◆ poor nutrition

could prevent:

- ◆ 1/2 of all premature deaths
- ◆ 1/3 of all cases of accidental disability
- ◆ 1/2 of all causes of chronic disability

From a report of the U.S. Preventive Services Task Force

## Health Practices

By living a healthful lifestyle, much can be done to prevent serious illness and premature death. Recently, the U.S. Task Force on Disease Prevention and Health Promotion delivered a report to the health care providers of the nation. They stated that "the most effective interventions available to clinicians for reducing incidence of disease and disability in the United States are those that address the personal health practices of patients."

## Group Needs

The PWP Executive Summary Report highlights those personal health practices most closely associated with high risk for disease and premature death. The most likely causes of death and disability for the participant population are shown with the prevalence of each contributing risk factor.

## Health Age and Quality of Life

The impact of lifestyle is dramatically shown in the Health Age Summary. Studies show that most people could add five to 10 years or more to their life expectancy by choosing to follow good health practices. The potential for increased life expectancy for your group is shown.

Participant quality of life is illustrated using Health Status scores. These are compared with national norms.

## Risk Reduction

The last section makes recommendations for specific interventions to reduce identified health problems in your organization. Based on this information, specific goals and planning can be provided for reducing risks, enhancing health, and improving the productivity of your group.

## Demographics

There were 181 individuals from this group who participated in the wellness assessment program. The group consisted of 140 men and 41 women. The average age of the group was 45. The health norms and comparisons used in this report are based on these demographics.

# Executive Summary Report

Sample Executive Report

Page 2

## Health Hazards

This report shows the personal health practices and risks of your group by leading causes of death nationwide. Both the number and percent of people with each risk factor are shown.

## Reducing Risk

Reducing the number of people with these health risks can significantly decrease health problems and costs, while improving the health and productivity of the individuals.

---

### Cardiovascular

(697,754 deaths per year)

Contributing Risk Factors	#	%
Personal history of heart disease, stroke or diabetes	17	9
Family history of heart disease	0	0
High total cholesterol (240+ or 200+ if CHD or Diabetes)	15	8
High LDL cholesterol (160+ or 130+ if CHD or Diabetes)	0	0
Low HDL cholesterol (less than 40)	41	23
High blood pressure (140/90 and above)	40	22
Smoking	12	7
Diabetes/high blood sugar (100+ fast, 140+ non)	20	11
Low aerobic exercise score	38	21
Excess weight (BMI > 25, high waist girth or % fat) (1)	143	79
*Abnormal ECG	0	0
High overall coronary risk	43	24

---

### Cancer

(558,847 deaths per year)

Contributing Risk Factors	#	%
Personal history of cancer	0	0
Tobacco use (all forms)	15	8
Drinking more than recommended (more than 1-2/day)	1	1
High-fat diet	2	1
Low-fiber diet	181	100
Fruits and vegetables (less than 5/day)	181	100
Excess weight (BMI > 25, high waist girth or % fat) (1)	143	79
Bowel disease	0	0
*Positive blood in stool	0	0
*Positive PSA	0	0

---

\* Concise Plus Profile does not include Factors with an asterisk.

(1) If done, waist girth or % fat may override BMI.

# Executive Summary Report

Sample Executive Report

Page 3

## ***Accidents*** *(102,303 deaths per year)*

<b>Contributing Risk Factors</b>	<b>#</b>	<b>%</b>
Does not wear seat belt all the time	0	0
*No working smoke alarm in home	181	100
Drinks and drives occasionally	181	100
Does not use good lifting technique	0	0
*Does not wear a helmet when applicable	0	0

## ***Lung Disease*** *(125,500 deaths per year)*

<b>Contributing Risk Factors</b>	<b>#</b>	<b>%</b>
Smoking (cigarettes)	12	7
*Low lung function (FEV1 <80% of predicted)	0	0
No regular exercise	38	21
Unusual shortness of breath	0	0
Chronic bronchitis or emphysema (COPD)	1	1

## ***Diabetes*** *(73,119 deaths per year)*

<b>Contributing Risk Factors</b>	<b>#</b>	<b>%</b>
Personal history of Diabetes	16	9
High blood sugar (100+ fasting, 140+ non)	12	7
Poor weight score (score < 50 or high waist girth)	143	79

## ***Cirrhosis, Liver*** *(27,045 deaths per year)*

<b>Contributing Risk Factors</b>	<b>#</b>	<b>%</b>
Drinking more than recommended (more than 1-2/day)	1	1

## ***Suicide*** *(30,646 deaths per year)*

<b>Contributing Risk Factors</b>	<b>#</b>	<b>%</b>
"I have recently thought about ending my life"	0	0
"Feel down-hearted and blue"	0	0
"Have been a happy person" .. "little of the time"	0	0

\* Concise Plus Profile does not include Factors with an asterisk.

# Executive Summary Report

Sample Executive Report

Page 4

## *Other Key Health Practices*

<b>Lifestyle Risks</b>	<b>#</b>	<b>%</b>
Low nutritional status	181	100
Heavily stressed (often have trouble coping)	0	0
Numerous stress signals present (3 or more)	0	0
Very unhappy with life	0	0
Low in sleep (less than 7 hours per day))	11	6
Low energy level (feel tired most the time)	0	0
Have no good social support system	0	0
Regularly use drugs that affect mood or ability to relax or sleep	0	0
*Consumes caffeine heavily (6 or more servings per day)	0	0

## *Disease States*

<b>Disease States</b>	<b>#</b>	<b>%</b>
*Allergies	0	0
*Arthritis	0	0
Asthma	1	1
*Blindness or trouble seeing	0	0
Bowel polyps or inflammatory bowel disease	0	0
*Cataracts	0	0
*Deafness or trouble hearing	0	0
*Glaucoma	0	0
*Kidney disease	0	0
*Macular degeneration (AMD)	0	0
Sciatica or chronic back problem	0	0
*Skin problems or dermatitis	0	0
*Ulcer or bleeding in stomach or bowels	0	0
Chronic bronchitis or emphysema (COPD)	1	1
Personal history of diabetes	16	9
Personal history of heart disease or stroke	17	9
Personal history of cancer	0	0

## *Medical Care Summary*

<b>Medical Care Issues</b>	<b>#</b>	<b>%</b>
*Doctor visits in past 12 months	0	0
Sick and missed work 5 or more days last year	0	0
*Spent at least 1 day in hospital last year	0	0

\* Concise Plus Profile does not include Factors with an asterisk.

# Executive Summary Report

## Health Status and Quality of Life

This is an evaluation of your population's current health status, including:

- ◆ Health perception and health status change.
- ◆ Functional status, both physical and social, as well as limitations due to physical or emotional problems.
- ◆ Well-being including bodily pain, mental health, and energy level.

By monitoring health status change over time, general health outcomes from medical care and health interventions can be measured. This type of research can help determine what procedures, treatments, and health care delivery methods are most effective or ineffective in enhancing personal health.

## Health Age

### Good Health Practices

- ◆ Not smoking
- ◆ Eat a good breakfast daily
- ◆ Regular aerobic exercise
- ◆ Weight in desirable range
- ◆ None or light drinking
- ◆ Seven to eight hours of sleep daily
- ◆ Avoid frequent snacking

## Health Status and Quality of Life (HSQ-12)

Quality of Life Scale	Group Score	U.S. National Norms*	Low Scores (n)	Low Scores (%)
Physical Health Composite Score (PCS) <small>males females</small>	0.00 0.00	51.05 49.07	0 0	0.0 0.0
Mental Health Composite Score (MCS) <small>males females</small>	0.00 0.00	50.73 49.33	0 0	0.0 0.0

Note: Low scores are 40 or less. A high score is desirable

The participants' perceptions of their physical and mental health explains the variability of these scores. Compared to national norms, higher scores indicate better functioning and a higher than average quality of life. Lower scores indicate unsatisfactory mental outlook or poor perception of physical health.

Very low scores are associated with a number of health and health care consequences. These include limitations in physical activities, subsequent job loss, increased hospital stays, increase in doctor visits, probability of a chronic condition, likelihood of depression, and likelihood of five-year survival. These scores are compared with national norms.

\* Ware, JE; Kosinski, M; Keller, SD. The Health Institute, New England Medical Center; *SF-12 An Even Shorter Health Survey*, Medical Outcomes Trust Bulletin, January 1996.

Ware, JE; Kosinski, M; Keller, SD. *A 12-Item Short-Form Health Survey SF-12: Scale Construction and Preliminary Tests of Reliability and Validity*, Medical Care, 1996.

## Health Age Summary

One's choice of health practices has a significant effect on health and longevity. In a prospective study of some 7,000 people for 15 years, people who followed a healthy lifestyle lived on average 11.5 years longer than those with poor health practices, e.g., smoking, living a sedentary lifestyle, poor eating habits, being overweight, etc.

The health practices of people in your organization were compared to this study population to determine the effect of their lifestyle on longevity.

Average Age	Average Health Age	Average Achievable Age	Potential Years of Added Life for Group
44.6	47.5	38.7	1,605.9

The average person in this group may add 8.9 years to his or her life expectancy by maintaining good health practices. For the entire group of 181 people, over 1,605.9 person years may be gained. The addition of these person years is invaluable. People will feel better and be more productive all the years of their lives.

# Executive Summary Report

Sample Executive Report

Page 6

## ***Recommended Health Actions***

Based on the prevalence of health risks identified in this group, the following intervention programs are recommended. They are listed in order of need. Additional programs may include Healthy Pregnancy, Living with Diabetes, and Senior Living.

### ***Cancer***

#### **1. Cancer Risk Reduction**

(100% have higher cancer risk)

These individuals could make lifestyle changes to significantly reduce their cancer risk. The National Cancer Institute has stated that most premature deaths from cancer could be prevented by lifestyle changes and regular preventive exams.

### ***Nutrition***

#### **2. Better Nutrition**

(100% showed need for making nutritional changes)

Good nutrition is a positive step toward preventing heart disease, cancer, obesity, osteoporosis, and improving general health and resistance to disease.

### ***Weight Management***

#### **3. Weight Management**

(80% are above their recommended weight range)

Weight control is a commonly reported need. By losing or preventing excess weight, risk for heart problems, cancer risk, hypertension, diabetes, and other serious health problems can be prevented. Losing weight can also have a positive effect on self-image.

### ***Coronary Risk***

#### **4. Coronary Risk Reduction**

(50% have a moderate to high coronary risk)

These individuals are high risk due to existing disease, current symptoms, or multiple (two or more) risk factors. Emphasis on reducing overall coronary risk and a systematic program to build heart health are always important.

### ***Fitness***

#### **5. Improving Fitness**

(38% showed need for improving fitness levels)

Regular exercise is a positive lifestyle practice that helps prevent many serious health problems: heart disease, stroke, diabetes, obesity, hypertension, and osteoporosis. It also helps ease tension and generally builds energy, self-worth, and motivation for other healthy practices such as not smoking and better nutrition. A good fitness program can form the foundation for a good health enhancement program.

# Executive Summary Report

Sample Executive Report

Page 7

## *Cholesterol*

### 6. Managing Cholesterol Levels

(31% had cholesterol over recommended levels)

Lowering cholesterol levels can significantly reduce risks for heart disease. For every 1% cholesterol is lowered, the risk for heart disease drops by 2%. A program of nutritional education, dietary counseling, and medical referral is needed for these individuals.

## *Blood Pressure*

### 7. Managing High Blood Pressure

(22% had elevated blood pressure levels, 140/90 and above)

Reducing blood pressure is a proven effective way to reduce risk for cardiovascular disease and increase longevity. Much can be done to control high blood pressure through lifestyle changes and medications. Regular opportunities for blood pressure checks, education programs, and medical referral are needed to decrease this problem.

## *Smoking*

### 8. Quit Smoking

(8% are smokers)

Smoking cessation significantly reduces health risks and health care expense. Smoking is the most preventable cause of premature death in the United States.

## *Alcohol*

### 9. Alcohol Management

(1% report drinking more than recommended)

High levels of drinking lead to high accident rates, decreased job performance, and serious health problems including cirrhosis of the liver and increased cancer risk. Alcohol awareness education and referral help for those dependent upon alcohol can have a significant impact on the health of these individuals.

## *Stress*

### 10. Managing Stress

(0% are bothered by excessive stress or have an MCS score < 40)

Excessive stress or poor coping ability can lead to diseases of the body and mind including ulcers, tension headaches, back problems, depression, and decreased job satisfaction and performance. Learning good stress management techniques can help people deal better with stress before it causes serious problems.

## *Back Care*

### 11. Better Back Care

(0% do not know or practice correct lifting techniques)

Back injury is a major cause of injury and medical expense for most organizations. Education and training programs in lifting and back care are vital for this group.

# Intervention Strategies

## Your Next Step

To reduce costs and enhance health, the *next step* must be taken -- implementing risk-reduction actions. Providing a class or a self-study guide for reducing known risks is a vital step. This table identifies the number of people in your group who could benefit from one or more of these risk-reduction interventions.


## Health Action Opportunities

Self-Help Study Guide or Class	Number of People	Percent of Group
Alcohol Management	1	1
Better Nutrition	181	100
Healthy Pregnancy	0	0
Managing High Blood Pressure	40	22
Improving Fitness	69	38
Living With Diabetes	16	9
Managing Cholesterol Levels	56	31
Stress Management	0	0
Protecting Your Heart	91	50
Quit Smoking	15	8
Senior Living	48	27
Strengthen Your Back	0	0
Weight Management	144	80

## Readiness to Change

When planning your intervention strategies, it is valuable to know what portion of your group is ready to make changes for a healthier lifestyle. This graph illustrates the distribution of responses to the "live an overall healthy lifestyle" question in the "Readiness to Change" section, and includes only those who answered this question. The percentages are taken from the total population in this group.

## Estimated Readiness to Change Distribution



Participants in the precontemplative stage are not ready to make change but are ideal targets for health awareness strategies. Those in the contemplative stage need more information with encouragement and incentives. Those who are planning lifestyle improvements may need additional tools and methods for making those changes. Those in the action and maintenance stages continue to need encouragement with positive support and reinforcement.




## Economic Impact of Major Health Risks

The national health care expenditure is currently 15% of the nation's gross national product, or nearly \$6,000 per person per year. Due to high health care costs, many organizations are keenly interested in the financial savings that wellness programs can provide. Over two-thirds of all companies surveyed have initiated wellness and safety programs to help curb these fast-rising costs. Recent scientific research reveals significant cost savings can be achieved by reducing health risks. Other benefits include increased productivity and job satisfaction and decreased lost time from sickness.

### Risk Factors Associated with Higher Medical Claims:

- ◆ 5+ sick days/year
- ◆ Monthly drug use
- ◆ 21+ alcohol drinks/week
- ◆ Smoker
- ◆ Sedentary
- ◆ Occasional seat belt use
- ◆ Low life satisfaction
- ◆ 3+ stress signs
- ◆ > 20% overweight
- ◆ Systolic BP >= 140
- ◆ Health age > 4 years over potential health age
- ◆ Cholesterol > 240
- ◆ Diastolic BP >= 90
- ◆ Not satisfied with job
- ◆ Has COPD
- ◆ Serious health problem
- ◆ Poor health perception



## Preventable Risks and Health Care Costs

A number of health risk factors have been shown to be associated with higher medical claims (see side bar). The presence of multiple risk factors provides a better prediction of future claims experience than any single factor. Based on the risk factors of participants in this group, the average medical claim per person is projected to be \$3,355.19.\* (A)

When your group is compared to a group with zero risk factors (average claim = \$1,385.65), your average preventable cost per person is \$1,969.54 per year. However, to achieve zero risk factors for all people is not a realistic goal. A more realistic method of estimating preventable costs is to compare your group with a company that has had an ongoing comprehensive wellness program in place for a number of years (average claim = \$2,673.93). This comparison shows preventable costs per person for your group to be \$681.26.

Therefore, by reducing preventable risks with an effective ongoing wellness program, your group could achieve a realistic total savings of \$123,307.88 per year. (681.26 x 181 = 123,307.88)

\* Average annual individual medical claims do not include spouse, dependent, or maternity claims.

(A) Adapted from - Yen, L. et. al., Associations between health risk appraisal scores and employee medical claims costs in a manufacturing company. American Journal of Health Promotion, 1991; 6(1):46-54. Claims have been present-value adjusted using average premium inflation rates.

# Executive Summary Report

## Personal Wellness Profile Executive Summary Sample Executive Report

### Scientific Basis for the Personal Wellness Profile

- ◆ American Cancer Institute
- ◆ American Cancer Society
- ◆ American College of Sports  
Medicine
- ◆ American Heart Association
- ◆ U.S. Department of Health and  
Human Services
- ◆ Health Outcomes Institute
- ◆ Johns Hopkins Medical  
Institutions
- ◆ National Academy of Sciences,  
NRC
- ◆ National Center of Health  
Statistics
- ◆ National Committee For Quality  
Assurance
- ◆ National Institutes of Health
- ◆ National Mental Health  
Association
- ◆ University of California at  
Berkeley
- ◆ University of Michigan
- ◆ U.S. Preventive Services Task  
Force
- ◆ U.S. Surgeon General's Report  
on Health Promotion and  
Disease Prevention
- ◆ U.S. Department of Agriculture's  
Dietary Guidelines for  
Americans
- ◆ World Health Organization

### Table of Contents

Demographics	1
Major Health Risks	2
Health Status (HSQ-12)	5
Health Age Summary	5
Recommended Actions	6
Intervention Strategies	8
Economic Impact of Major Risks	9

Provided by

**Sample**

Executive Report

Administered by... Heart Screen Inc.

Web: [heartscreen.com](http://heartscreen.com) 631-842-1122